											Da	ta Com	ponent	Ranking	Value			Overal	l Ranking		
		CASGEM G	roundwater Basi	n Prioritization	n Results					_	S		Gro	undwate	r Reliance					1	
			Sorted by Bas	in Name						owth	Wells	age		*				Overall	Overall		
			I	1	ı	1			Ę	ō	Supply *	Acre	*	<sup>*</sup> ≥ dc	i i i			Basin Ranking	Basin	Impact Comments	Other Information Comments
Basin	Basin Number	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A		2010	ulation	opulation		gated	GW Use	Percent of Total Supply	GW Relia Total	acts	er	Score ***	Priority		
count				Region	Office		oq. mile	opulation	Рор		_ ⊢	<u> </u>				E E					
1	4-5	ACTON VALLEY		South Coast	SRO	8,300	13.0	2,280	1	4	5 3	0	2	2	0	1	0	0.0	Very Low	Locally high concentrations of TDS, sulfate, and chloride and two wells in the basin with known concentrations of nitrates exceeding MCL (B-118).	
2	6-10	ADOBE LAKE VALLEY		South Lahontan	SRO	39,978	62.5	4	0	0	0 0.7	'5 0	0	5	0	0	0	0.0	Very Low		
3	7-16	AMES VALLEY		Colorado River	SRO	109,340	170.8	4,540	1	0	1 0.7	'5 0	0	5	0	2	0	0.0	Very Low	Groundwater in the basin has locally high TDS, fluoride, and chloride contents (DWR 1975). TDS content reaches about 1,000 mg/L	
4	7-34	AMOS VALLEY		Colorado River	SRO	131,584	205.6	9	0	0	1 0	0	0	0	0	0	0	0.0	Very Low	southwest of Emerson Lake (MWA 1999).	
5	6-44	ANTELOPE VALLEY		South Lahontan	SRO	1,014,596	1,585.3	398,864	2	4	2 1.	5 1	1	5	3	5	3	21.5	High	Closed basin. Water quality impacts per IRWMP, DWR B-118, and	Pending Adjudication, water reliability issues, and renewed
6	3-34	ARROYO DE LA CRUZ VALLEY		Central Coast	SRO	1,028	1.6	1	0	0	0 0	3	0	0	0	0	0	0.0	Very Low	other sources. Extractions likely exceed natural recharge.	subsidence
7	4-7	ARROYO SANTA ROSA VALLEY		South Coast	SRO	3,747	5.9	2,211	2		4 0.7		5	5	5	3		19.8	Medium	Elevated sulfates, nitrates, and TDS in the basin.(B-118)	
8		ARROYO SECO VALLEY		Colorado River	SRO	259,806	405.9	6	0		1 0.7			5	0	0	0	0.0	Very Low		
9	6-26	AVAWATZ VALLEY		South Lahontan	SRO	27,826	43.5	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
10	9-22	BATIQUITOS LAGOON VALLEY		South Coast	SRO	745	1.2	2,109	3	5	0 1.	5 1	0	0	0	4	0	0.0	Very Low	The groundwater in this basin was rated inferior for irrigation because of high chloride content and marginal for domestic use because of high sulfate and TDS concentrations (DWR 1967).	
11 12		BEAR VALLEY BESSEMER VALLEY		South Coast Colorado River	SRO SRO	19,667 39,379	30.7 61.5	16,866	2		5 3 0 0	_		3	2.5 0	1 0	0	14.5 0.0	Medium	Fluoride problems in some wells (B-118).	
																			Very Low		
13	6-25	BICYCLE VALLEY		South Lahontan	SRO	90,100	140.8	0	0	0	1 0.7	5 0	0	0	0	3	0	0.0	Very Low	Elevated TDS and fluoride (B-118).	
14 15		BIG MEADOWS VALLEY BIG SPRING AREA		South Coast Central Coast	SRO SRO	14,263 7,332	22.3 11.5	51	0		4 0.7 0 0		5 0	3	0	0	_	0.0	Very Low Very Low		
16		BLACK SPRINGS VALLEY		South Lahontan	SRO	30,911	48.3	0	0		0 0.7			0	0	0	0	0.0	Very Low		
17	7-24	BORREGO VALLEY		Colorado River	SRO	153,978	240.6	3,853	1	0	2 0.7	75 1	2	5	3.5	5	2	15.3	Medium	Overdraft conditions over 60 years. Some wells have been abandoned or destroyed due to high nitrates.	Most demand for basin is concentrated in north in a small area.
18	7-8	BRISTOL VALLEY		Colorado River	SRO	501,834	784.1	27	0	0	1 0.7	5 1	0	5	2.5	3	0	8.3	Low	Fluoride content in some wells exceeds the recommended MCL leve (C-118). TDS content is extremely high in some wells near Bristol Lake (DWR 1967).	
19	6-32	BROADWELL VALLEY		South Lahontan	SRO	92,688	144.8	8	0	0	1 0.7	5 0	0	5	0	0	0	0.0	Very Low	III. III.	
20	6-76	BROWN MOUNTAIN VALLEY		South Lahontan	SRO	21,862	34.2	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
21	7-54	BUCK RIDGE FAULT VALLEY		Colorado River	SRO	6,974	10.9	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
22	6-81	BUTTE VALLEY		South Lahontan	SRO	8,853	13.8	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
23	6-70	CACTUS FLAT		South Lahontan	SRO	7,056	11.0	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
24	7-7	CADIZ VALLEY		Colorado River	SRO	272,931	426.5	10	0	0	0 0.7	5 0	0	5	0	0	0	0.0	Very Low		
25	6-90	CADY FAULT AREA		South Lahontan	SRO	8,015	12.5	6	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
26	9-6	CAHUILLA VALLEY		South Coast	SRO	18,342	28.7	1,993	1	3	3 3	2	2	5	3.5	1	1	17.5	Medium	Locally, sulfates and nitrates are high for domestic use (DWR 1975). Nitrate concentrations reach as much as 128 mg/L (Moyle 1976).	Basin is federally adjudicated.
27	6-79	CALIFORNIA VALLEY		South Lahontan	SRO	58,639	91.6	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
28	7-41	CALZONA VALLEY		Colorado River	SRO	81,708	127.7	1,608	1	0	0 0.7	75 0	0	5	0	0	0	0.0	Very Low		
29	6-61	CAMEO AREA		South Lahontan	SRO	9,349	14.6	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
30	9-28	CAMPO VALLEY		South Coast	SRO	3,569	5.6	985	1	0	4 2.2	2.5	0	0	0	0	1	0.0	Very Low	1	Basin area is listed by EPA as a "Sole Source Aguifer" in EPA Region 9.
31	7-46	CANEBRAKE VALLEY		Colorado River	SRO	5,460	8.5	2	0	0	0 0	0	1	5	0	0	0	0.0	Very Low		INVENTED IN CEANURED S.
32		CARPINTERIA		Central Coast	SRO	8,140	12.7	14,561			4 2.2			_	0	0	_	0.0	Very Low		
33		CARRIZO PLAIN CAVES CANYON VALLEY		Central Coast South Lahontan	SRO SRO	210,896 73,542	329.5 114.9		0		1 0.7			_	0	3	_	0.0	Very Low Very Low	Suitability of groundwater quality is rated inferior for irrigation and suitable to inferior for domestic use (DWR 1964). Historical measurements show TDS content ranging from 622 to 1,272 mg/L with an average of 904 mg/L (DWR 1964).	

						D	ata Con	ponent	Ranking	<b>Value</b>				Overall I	Ranking							
		CASGEM G	Groundwater Basir	n Prioritization	Results					_	S		Gro	undwat	er Relian	ce						
	I	Г	Sorted by Basi	in Name		T		I	uo	on Growth	upply Wells	Wells *	*	of **	ance			_ В	verall asin nking	Overall Basin Priority	Impact Comments	Other Information Comments
Basin count	Basin Number	Basin Name	Sub-Basin Name	Hydrologic Region	DWR Region	Basin Acres		2010 Population	pulati	opulation	S	Total We	N Use	ercent	~ .	ē	pacts	Sco	re ***	Priority		
25	3-38	CAYUCOS VALLEY		Central Coast	Office SRO	336	0.5		0	<b>B</b>		0 2	8 8	0 8 5	8		0   1   1   1   1   1   1   1   1   1	=	0.0	Vondou		
35 36	7-43	CHEMEHUEVI VALLEY		Colorado River		275,713	430.8		0	0		0.75 0	_	5	0		3 0	_	0.0	Very Low Very Low	Concentrations of sulfate, chloride, fluoride, and TDS	
37	7-32	CHOCOLATE VALLEY		Colorado River	SRO	130,507	203.9	658	0	0	0 0	0.75 0	0	0	0	-	4 0	)	0.0	Very Low	are high (DWR 1975). Groundwater quality impairment due to elevated levels of fluoride,	
																					boron, and TDS (B-118). Elevated fluoride levels were found in nearly all mineral analyses of groundwater.	
38 39	3-42 7-5	CHORRO VALLEY CHUCKWALLA VALLEY		Central Coast Colorado River	SRO SRO	1,547 608,995	2.4 951.6			0		0 5 0.75 1	0	0	0	-	0 0		0.0 10.8	Very Low Low	Sulfate, chloride, fluoride, and TDS concentrations are high for	Significant growth in industry (solar), and others. Prison is also a
39	7-5	CHOCKWALLA VALLET		Colorado River	300	008,993	931.0	7,633	1			0.73		4	2		3 2		10.8		domestic use (DWR 1975). High of boron and TDS concentrations, and high sodium percentage impair groundwater for irrigation use (DWR 1975).	significant user the the GW resources.
40	7-21.03	COACHELLA VALLEY	DESERT HOT SPRINGS	Colorado River	SRO	101,862	159.2	22,568	1	5	1 (	0.75 1	. 0	5	2.5		1 0	) 1	12.3	Low	High TDS and declining water levels have been documented for a long period of time in the Desert Hot Springs Subbasin.	
41	7-21.01	COACHELLA VALLEY	INDIO	Colorado River	SRO	299,784	468.4	368,855	2	5	3 (	0.75 3	4	3	3.5		2 0	) 1	19.3	Medium	Nitrates and addition of salts due to Colorado River imported water.	
42	7-21.02	COACHELLA VALLEY	MISSION CREEK	Colorado River	SRO	48,966	76.5	18,974	1	5	2 (	0.75 0	3	5	4		2 1	. 1	15.8	Medium	<u>Local areas of elevated fluoride.</u> Radiological and nitrate issues in the basin (B-118).	Mission Creek GW also supplies drinking water to Desert Hot Springs and part of Indio subbasins
43	7-21.04	COACHELLA VALLEY	SAN GORGONIO PASS	Colorado River	SRO	38,823	60.7	29,540	2	5	3 (	0.75 1	. 3	5	4		2 1	. 1	18.8	Medium	Basin is in overdraft.	Basin is adjudicated.
44	4-11.04	COASTAL PLAIN OF LOS ANGELES	CENTRAL	South Coast	SRO	180,357	281.8	3,052,303	5	2	5 3	3.75 0	5	3	4		5 C	) 2	24.8		Basin was adjudicated in the early 1960's due to overdraft. Several public supply wells are known to be impacted by various water quality issues.	
45	4-11.02	COASTAL PLAIN OF LOS ANGELES	HOLLYWOOD	South Coast	SRO	10,108	15.8	250,649	5	0	3 3	3.75 0	2	3	0		1 0	)	0.0	Very Low	MWD lists some TDS and VOC water quality issues.	
46	4-11.01	COASTAL PLAIN OF LOS ANGELES	SANTA MONICA	South Coast	SRO	31,846	49.8	465,606	5	3	2 3	3.75 0	2	3	2.5		3 0	) 1	19.3	Medium	MTBE contamination has led to significant reduction in groundwater production and locally high TDS.	
47	4-11.03	COASTAL PLAIN OF LOS ANGELES	WEST COAST	South Coast	SRO	93,795	146.6	1,195,195	5	1	3 3	3.75 0	3	3	3		5 0	7	20.8	Medium	Basin in overdraft since 1960's. Adjudicated basin. Saline intrusion problem and a seawater barrier project is in effect to reduce seawater intrusion.	
48	8-1	COASTAL PLAIN OF ORANGE		South Coast	SRO	223,222	348.8	2,309,966	5	2	4 3	3.75 0	5	5	5		1 0	) 2	20.8	Medium	Saline intrusion issues.	
49	6-72	COLES FLAT		South Lahontan	SRO	2,961	4.6	0	0	0	0	0 0	0	0	0		0 0	)	0.0	Very Low		
50	7-55	COLLINS VALLEY		Colorado River	SRO	7,121	11.1	11	0	0	0	0 0	1	5	0		0 0	)	0.0	Very Low		
51	4-10	CONEJO		South Coast	SRO	18,848	29.4	96,704	4	2	1	1.5 1	. 2	3	2.5		1 0	) 1	13.0	Low	Locally high TDS in basin and one well with nitrate levels above MCL (B-118)	
52	7-11	COPPER MOUNTAIN VALLEY		Colorado River	SRO	30,540	47.7	6,085	1	5	1 (	0.75 1	. 1	3	0		1 0		0.0	Very Low	Locally high TDS and septic tank problems.	
53	6-55	COSO VALLEY		South Lahontan	SRO	25,684	40.1	0	0	0	0	0 0	0	0	0		0 0	)	0.0	Very Low		
54	6-65	COTTONWOOD SPRING AREA		South Lahontan	SRO	3,918	6.1	0	0	0	0	0 0	0	0	0		0 0		0.0	Very Low		
55	9-27	COTTONWOOD VALLEY		South Coast	SRO	3,871	6.0	44	1	0	4	1.5 1	. 0	0	0		0 1	-	0.0	Very Low		Basin area is listed by EPA as a "Sole Source Aguifer" in EPA Region 9.
56	6-37	COYOTE LAKE VALLEY		South Lahontan	SRO	88,735	138.6	99	0	0	0 (	0.75 0	0	5	0		4 C		0.0		Groundwater quality is rated as inferior to marginal for both domestic and irrigation purposes because of elevated levels of fluoride. boron. sodium. and TDS. (B-118).	Addition of the Control of the Contr
57	7-29	COYOTE WELLS VALLEY		Colorado River	SRO	147,088	229.8	374	0	0	1 (	0.75 0	0	5	0		4 0		0.0	Very Low	Basin is in overdraft (B-118). There are local fluoride issues and elevated TDS in some of the shallower wells in the basin.	
58	6-35	CRONISE VALLEY		South Lahontan	SRO	127,313	198.9	2	0	0	0 (	0.75 0	0	0	0		0 0		0.0	Very Low		
59	6-50	CUDDEBACK VALLEY		South Lahontan	SRO	95,418	149.1	97	0	0	0	0 0	0	5	0		3 0		0.0		Groundwater quality is ranked marginal to inferior for most beneficial uses due to elevated concentrations of chloride and TDS.	
60		CUYAMA VALLEY		Central Coast	SRO	242,114						0.75 2			4		3 3	1	13.8		Local salinity and TDS impairments in basin (B-118)	Declining Groundwater levels of 150-300' over the last 40-50 years (DWR, 1998). Conservation Assessment by TNC (2009) indicates annual gw budget deficit of ~ 28,500 af
61	7-9	DALE VALLEY		Colorado River	SRO	214,650	335.4	1,197	0	0	1 (	0.75 1	. 0	5	0		5 0		0.0		Groundwater quality in basin is generally unsuitable for domestic and agricultural uses (DWR 1979). TDS and F concentrations impair for domestic use, and B and Na concentrations impair agricultural use in basin (DWR 1979). USGS data shows declining water	
62	6-57	DARWIN VALLEY		South Lahontan	SRO	44,386	69.4	39	0	0	0 (	0.75 0	0	5	0		0 0		0.0	Very Low		
63	7-61	DAVIES VALLEY		Colorado River	SRO	3,600	5.6	0	0	0	0	0 0	0	0	0		0 0	)	0.0	Very Low		
<u> </u>	L	ļ	ļ	ļ		L		L														1

						D	ata Co	ompor	nent Ra	anking V	alue			Overal	l Ranking	1						
		CASGEM	Groundwater Basi	in Prioritization	n Results					_	s			Grour	ndwater	Reliance					1	
			Sorted by Bas	sin Name						rowth	Wells		age		*				Overall	Overall	Immant Community	Other Information Comments
			<u> </u>	<u> </u>	1	1 .			u o	on Gr	Supply	* s	Acre	*	of pply '	ance		į	Basin Ranking	Basin	Impact Comments	Other Information Comments
Basin	Basin Number	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A		2010	ulation	opulation		al Wells	gated	Use	Percent of Total Supply	GW Relia	acts	er	Score ***	Priority		
count				Region	Office		oq. mic	Population	2		_	Total	ir.	§ 8			d d	Othe	•			
64	7-13.01	DEADMAN VALLEY	DEADMAN LAKE	Colorado River	SRO	89,793	140.3	22	0	0	0 (	0.75	0	0	5	0	0	0	0.0	Very Low		
65	7-13.02	DEADMAN VALLEY	SURPRISE SPRING	Colorado River	SRO	29,507	46.1	179	0	0	2	0	0	0	5	0	0	0	0.0	Very Low		
66	6-18	DEATH VALLEY		South Lahontar	SRO	926,496	1,447.7	190	0	0	1 (	0.75	1	0	5	0	0	0	0.0	Very Low		
67	6-15	DEEP SPRINGS VALLEY		South Lahontar	SRO	30,048	47.0	5	0	0	1 (	0.75	1	1	5	0	0	0	0.0	Very Low		
68	6-78	DENNING SPRING VALLEY		South Lahontar	sRO	7,289	11.4	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
69	7-33	EAST SALTON SEA		Colorado River	SRO	197,043	307.9	1,093	0	0	0 (	0.75	2	0	0	0	0	0	0.0	Very Low		
70	9-16	EL CAJON VALLEY		South Coast	SRO	7,203	11.3	92,314	5	1	0 3	3.75	1	2	1	0	5	0	0.0	Very Low	High nitrates and TDS have impaired the basin for domestic use and high chlorides make the water marginal to inferior for irrigation use	
71	6-43	EL MIRAGE VALLEY		South Lahontar	n SRO	76,292	119.2	10,933	1	4	2 (	0.75	1	1	5	3	4	0	15.8	Medium	(B-118). Groundwater levels have declined significantly in parts of the basin, some have recovered. Water is rated marginal to inferior for domestic and irrigation purposes. (B-118). Some documented VOCs issues also	
72	8-4	ELSINORE		South Coast	SRO	25,873	40.4	60,946	3	4	4 2	2.25	1	2	4	3	3	1	21.3	High	High TDS due to Nitrate and Sulfate in some portions of the basin (Elsinore Gw AdvisoryComm). Some fluoride impacts to groundwater (B-118).	Study done for Elsinore Basin GW Advisory Committee (Nov. 2012) indicates an average annual gw budget deficit of 1,800 af/yr for the last 11 years. Between 1990 and 2000 cumulative deficit was 19,000 af.
73	9-9	ESCONDIDO VALLEY		South Coast	SRO	2,906	4.5	38,593	5	1	0 3	3.75	1	0	1	0	2	0	0.0	Very Low	Local sources of groundwater in this basin are categorized as suitable to inferior for domestic use. The water categorized as inferior typically contains high nitrate, TDS, or sulfate content (DWF	
74	6-16	EUREKA VALLEY		South Lahontar	sRO	129,329	202.1	10	0	0	0	0	0	0	0	0	0	0	0.0	Very Low	1967)	
75	7-2	FENNER VALLEY		Colorado River	SRO	457,633	715.1	31	. 0	0	1 (	0.75	0	0	5	0	0	0	0.0	Very Low		
76	6-14	FISH LAKE VALLEY		South Lahontar	sRO	48,333	75.5	36	0	0	0 0	0.75	2	3	5	4	0	0	6.8	Low		
77	3-53	FOOTHILL		Central Coast	SRO	3,123	4.9	17,543	4	2	5 3	3.75	1	3	1	0	5	0	0.0	Very Low	USGS documented nitrates exceeding MCL and high sulfates in the basin. TDS is documented to be high in the basin and potential for	
78	6-46	FREMONT VALLEY		South Lahontar	n SRO	336,682	526.1	16,883	1	0	1 (	0.75	0	1	5	3	5	0	10.8	Low	saline intrusion. Basin has naturally high TDS locally and other constituents. Groundwater levels have shown significant decline throughout the	
79	6-85	GOLD VALLEY		South Lahontar	n SRO	3,234	5.1	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low	hasin.	
80	6-48	GOLDSTONE VALLEY		South Lahontar	n SRO	28,287	44.2	C	0	0	0 (	0.75	0	0	0	0	3	0	0.0	Very Low	Groundwater quality in the basin is rated as inferior for irrigation purposes and marginal for domestic use because of elevated	
81	3-16	GOLETA		Central Coast	SRO	9,229	14.4	47,252	4	1	5 3	3.75	2	3	1	2	0	1	18.8	Medium	concentrations of chloride. fluoride. and TDS.	Estimated overdraft for the north-central portion of the basin ins estimated at 1,180 af/yr (Santa Barbara Water Conservation
82	6-77	GRASS VALLEY		South Lahontar	n SRO	10,034	15.7	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		Element. 2009)
83	6-84	GREENWATER VALLEY		South Lahontar	n SRO	60,260	94.2	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
84	6-47	HARPER VALLEY		South Lahontar	n SRO	411,827	643.5	1,634	0	0	1 (	0.75	1	1	1	1	5	1	9.8	Low	Extensive chromium issues well known in Hinkley. In addition, wate quality of the basin is generally marginal to inferior for irrigation and domestic uses because of high concentrations of boron, fluoride,	,
85	6-74	HARRISBURG FLATS		South Lahontar	sRO	25,077	39.2	1	. 0	0	0	0	0	0	5	0	0	0	0.0	Very Low	and sodium	
86	7-48	HELENDALE FAULT VALLEY		Colorado River	SRO	2,637	4.1	g	0	0	0 0	0.75	0	0	5	0	0	0	0.0	Very Low	1	
87	8-6	HEMET LAKE VALLEY		South Coast	SRO	16,811	26.3	464	1	0	3 (	0.75	1	0	1	0	2	0	0.0	Very Low	Locally high nitrates and TDS.(B-118)	
88	7-53	HEXIE MOUNTAIN AREA		Colorado River		11,236	17.6	(	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
89 90	4-16 6-63	HIDDEN VALLEY HIDDEN VALLEY		South Coast South Lahontar	SRO SRO	2,217 18,037	3.5 28.2	503 (	0 0	0	0		5	0	0	0	0	0	0.0	Very Low Very Low		
91 92		HUASNA VALLEY HUNGRY VALLEY		Central Coast South Coast	SRO SRO	4,706 5,324	7.4 8.3	55	1 0	0	0 (		2	0	1	0	0	0	0.0 0.0	Very Low	Water is slightly alkaline (B-118).	
93		IMPERIAL VALLEY		Colorado River		969,017	1,514.1	164,037	1	4	1 (		5	0	0	0	0	0	0.0	Very Low Very Low	vva.ci is sligitily dirallile (D-110).	

												Data C	ompo	nent R	anking V	'alue			Overal	l Ranking		
		CASGEM G	Groundwater Basi	n Prioritization	n Results					_	v			Grou	ndwater	Reliance					1	
			Sorted by Bas	in Name						rowth	Wells		age		*				Overall	Overall	Impact Comments	Other Information Comments
					DWB	Pasin A			o	ion Gr	Supply	Wells *	A Acre	*	of Ipply	ance		i	Basin Ranking	Basin Priority	impact comments	Other information comments
Basin count	Basin Number	Basin Name	Sub-Basin Name	Hydrologic Region	DWR Region	Basin A		2010 Population	pulati	opulation	ublic S	otal W	igated	GW Use	Percent of Total Supply	GW Relia Total	pacts	her	Score ***	lilonty		
94	6-54	INDIAN WELLS VALLEY		South Lahontan	Office SRO	Acres 383,492	<b>Sq. Mile</b> 599.2	34,837	<b>0</b>	<b>0</b> 4	_	0.75	0	<u>8</u>	<b>P P P</b>	3	<b>du</b> 5	<u></u> 5 5	14.8	Medium	Overdraft has been documented since the 1960's. Water quality	
]	0 34	INDIAN WELLS VALLET		Joden Ednontan	3110	303,432	333.2	34,037	1	7		0.73	O	1	3				14.0	Wicarani	issues with respect to overdraft and mixing of aquifers.	
95	7-50	IRON RIDGE AREA		Colorado River	SRO	5,284	8.3	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
96	6-30	IVANPAH VALLEY		South Lahontan	SRO	200,155	312.7	40	0	0	1	0.75	0	0	5	0	4	0	0.0	Very Low	Basin groundwater is rated marginal to inferior for both domestic and irrigational use because of elevated fluoride and sodium.(B-118	4
97	7-47	JACUMBA VALLEY		Colorado River	SRO	2,472	3.9	517	1	0	4	15	0	2	5	0	5	2	0.0	Very Low	According to San Diego County documents, some wells are	According to aerial imagery review, GIS, and other
97	7-47	JACUIVIDA VALLET		Colorado River	360	2,472	3.9	317	1	U	4	1.5	U	2	3	0		3	0.0	very tow	reportingly going dry; this is a small basin with over 500 residents and no source of imported water. TDS of some groundwaters	docs,approximately 500 acres of crops are irrigated and Bulletin 118 boundary is significantly over exaggerated (incorporating bedrock
																					recharging the basin are high.	areas probably 30 percent of which are included in Bull 118
98		JOHNSON VALLEY	SOGGY LAKE	Colorado River	SRO	77,865	121.7	354	0		1		0	0	5	0	0	0	0.0	Very Low		
99		JOHNSON VALLEY	UPPER JOHNSON VALLEY	Colorado River	SRO	35,050	54.8	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
100	7-62	JOSHUA TREE		Colorado River	SRO	27,422	42.8	4,951	. 1	5	3	0.75	0	0	5	0	1	0	0.0	Very Low	Fluoride concentration in water from some wells has reached 9.0 mg/L, exceeding recommended maximum concentration levels of 1.4 mg/L (B-118 DWR 1984).	;,
101	6-89	KANE WASH AREA		South Lahontan	SRO	5,997	9.4	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
102	6-69	KELSO LANDER VALLEY		South Lahontan	SRO	11,208	17.5	C	0	0	0	0.75	0	0	0	0	0	0	0.0	Very Low		
103	6-31	KELSO VALLEY		South Lahontan	SRO	257,279	402.0	20	0	0	0	0.75	0	0	5	0	0	0	0.0	Very Low		
104	7-1	LANFAIR VALLEY		Colorado River	SRO	158,360	247.4	19	0	0	0	0.75	0	0	5	0	0	0	0.0	Very Low		
105	6-36.02	LANGFORD VALLEY	IRWIN	South Lahontan	SRO	10,557	16.5	8,845	2	5	1	1.5	0	0	0	0	3	0	0.0	Very Low	Locally high iron and fluoride concentrations.(B-118)	
106	6-36.01	LANGFORD VALLEY	LANGFORD WELL LAKE	South Lahontan	SRO	19,457	30.4	C	0	0	1	0	0	0	0	0	0	0	0.0	Very Low		
107	4-8	LAS POSAS VALLEY		South Coast	SRO	42,353	66.2	39,835	2	2	3	2.25	5	5	5	5	3	0	22.3	High	TDS is generally high in this basin. Pubic Comment includes reports of subsidence, overdraft and saline intrusion (chloride from adjacient basin?)	
108	7-14	LAVIC VALLEY		Colorado River	SRO	103,132	161.1	C	0	0	0	0.75	0	0	0	0	0	0	0.0	Very Low	adiacient basin: /	
109	6-27	LEACH VALLEY		South Lahontan	SRO	61,620	96.3	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
110	6-66	LEE FLAT		South Lahontan	SRO	20,380	31.8	C	0	0	0	0.75	0	0	0	0	0	0	0.0	Very Low		
111	4-17	LOCKWOOD VALLEY		South Coast	SRO	21,841	34.1	241	1	0	1	0.75	0	2	5	3.5	5	0	11.3	Low	Boron, arsenic, and radioactive uranium in some wells (B-118).	
112	6-11	LONG VALLEY		South Lahontan	SRO	72,028	112.5	800	1	0	2	0.75	2	2	1	0	1	0	0.0	Very Low	Local impairments from thermal waters and some springs with high TDS, fluoride, boron, and other elements, but water quality suitable	
113	7-51	LOST HORSE VALLEY		Colorado River	SRO	17,455	27.3	C	0	0	0	0.75	0	0	0	0	0	0	0.0	Very Low	overall.	
114	6-71	LOST LAKE VALLEY		South Lahontan	SRO	23,414	36.6	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
115	6-21	LOWER KINGSTON VALLEY		South Lahontan	SRO	241,892	378.0	C	0	0	0	0	0	0	0	0	5	0	0.0	Very Low	Groundwater is inferior for domestic or irrigation purposes due to elevated fluoride, chloride, boron, sulfate and TDS (B-118)	
116	6-40	LOWER MOJAVE RIVER VALLEY		South Lahontan	SRO	287,563	449.3	32,938	1	1	2	0.75	1	2	5	3.5	5	1	15.3	Medium	Groundwater basin has been in overdraft. Water quality has been impaired from natural sources, leaking tanks, and superfund sites	Basin is adjudicated. USGS reports GW Level declines of 100 ft since the 1930s
117	7-19	LUCERNE VALLEY		Colorado River	SRO	148,467	232.0	3,311	. 1	0	1	0.75	1	1	1	1	4	1	9.8	Low	from military bases. Water level declines noted from 40 to 100 feet. Evidence of subsidence from overdraft of basin. Locally high nitrates and TDS (B	Fall 1954 - Fall 2002 Change in GW Storage is estimated at - 460TAF ( Napoli)
118	4-22	MALIBU VALLEY		South Coast	SRO	615	1.0	563	2	0	0	3.75	0	0	0	0	5	0	0.0	Very Low	118). Saline intrusion, high TDS and chlorides have been documented.	
119	6-64	MARBLE CANYON AREA		South Lahontan	SRO	10,422	16.3	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
120	7-59	MASON VALLEY		Colorado River	SRO	5,567	8.7	23	0	0	2	0.75	0	1	5	0	0	0	0.0	Very Low		
121	7-17	MEANS VALLEY		Colorado River	SRO	15,061	23.5	46	0	0	0	0	0	0	5	0	2	0	0.0	Very Low	Fluoride, nitrate, and TDS concentrations are impairments locally.	
122	6-29	MESQUITE VALLEY		South Lahontan	SRO	89,012	139.1	64	0	0	0	0.75	1	1	1	0	3	0	0.0	Very Low	Declining water levels. Locally high TDS in southern portion of basin makes GW marginal to inferior for domestic uses. (B-118)	

				1		Da	ta Com	ponent	Ranking	Value			Overal	l Ranking		1					
		CASGEM G	roundwater Basi	in Prioritizatior	n Results					_	S		Gro	undwate	r Reliance					1	
			Sorted by Bas	sin Name						owth	Wells	98	,	*		-		Overall	Overall		
									_	ō	<u>&gt;</u> ∗		*	+ * * }d	nce		5	Basin Ranking	Basin	Impact Comments	Other Information Comments
Basin	Basin	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A	rea	2010	llatio	opulation		ted /	Use *	Percent of Total Supply	Selian _	cts	r m	Score ***	Priority		
count	Number	basiii Naiile	Sup-basiii Naille	Region	Office	Acres	Sq. Mile	Population	Popu	Popu	Public Total 1	Irriga	) MB	Perce Total	GW Relia	lmpa	Othe				
123	6-20	MIDDLE AMARGOSA VALLEY		South Lahontan	sRO	392,862	613.8	230	0	0	1 0.7	75 0	0	5	0	4	0	0.0	Very Low	Water quality is rated inferior to marginal for domestic purposes	
																				due to elevated fluoride and boron contents; however, locally groundwater is of good quality. (B-118)	
124	6-41	MIDDLE MOJAVE RIVER VALLEY		South Lahontan	sRO	212,595	332.2	6,654	1	0	1 0.7	75 1	2	5	3.5	3	1	11.3	Low	Groundwater Quality impairments for VOCs, salts, nitrates, and irrigation effluents. Waste water treatment plant have also affected	Basin is adjudicated.
																				groundwater quality. Some nitrates and fluoride exceed MCL.	
125	6-80	MIDDLE PARK CANYON		South Lahontan	n SRO	1,752	2.7	C	0	0	0 0	) 0	0	0	0	0	0	0.0	Very Low		
126	9-14	MISSION VALLEY		South Coast	SRO	7,387	11.5	37.066	4	3	0 3.7	75 0	2	1	0	0	0	0.0	Very Low		
127	6-9	MONO VALLEY		South Lahontan		173,299	270.8	385			1 0.7			5	0	0	0	0.0	Very Low		
128	3-49	MONTECITO		Central Coast	SRO	6,286	9.8	9,885	3	0	4 3.7	75 1	1	1	0	1	0	0.0	Very Low	Locally high TDS within the basin. Wells exceed Federal iron and	
						· ·	11.4			-				-	0			0.0	·	manganese concentrations (B-118).	
129	7-20	MORONGO VALLEY		Colorado River	SRO	7,286	11.4	2,983	2	5	5 3	0	1	5	0	0	0	0.0	Very Low		
130 131	3-41 7-44	MORRO VALLEY NEEDLES VALLEY		Central Coast Colorado River	SRO SRO	646 89,101	1.0 139.2	399 4,902		0	5 0 2 0.7		0	0	0.5	0	0	0.0 8.3	Very Low Low	Concentrations of sulfate, chloride, fluoride, and TDS	
						· ·														content levels are high in the basin (DWR 1975).	
132	7-25	OCOTILLO-CLARK VALLEY		Colorado River	SRO	224,416	350.6	27	0	0	1 0.7	75 2	0	1	0.5	3	0	7.3	Low	High TDS, sulfate, chloride, and fluoride concentrations locally impair groundwater for domestic and irrigation use.	
133	7-35	OGILBY VALLEY		Colorado River	SRO	135,017	211.0	36	0	0	1 0	) 1	0	1	0	0	0	0.0	Very Low		
134	4-2	OJAI VALLEY		South Coast	SRO	6,851	10.7	8,268	2	0	4 1.	5 4	5	5	5	2	0	18.5	Medium	High nitrates and sulfates reported in the basin. Medium to high	
135	3-39	OLD VALLEY		Central Coast	SRO	1,179	1.8	217	1	0	0 0	) 2	0	0	0	0	0	0.0	Very Low	levels of nitrates reported in the basin.	
136	7-31	OROCOPIA VALLEY		Colorado River		97,214	151.9		1		0 0.7			5	2.5	1	0	0.0		Some natural occurrences of elements or compounds that exceed	
137	9-18	OTAY VALLEY		South Coast	SRO	6,869	10.7	39,191	4	1	0 3	1	2	1	0	5	0	0.0	Very Low	drinking water standards. Groundwater is marginal to inferior for domestic use in the coastal	
																				plain due to high TDS content and suitable in the eastern part of the	:
																				basin and is marginal to inferior for irrigation due to high chloride concentrations (B-118 & DWR 1967).	
138	6-12	OWENS VALLEY		South Lahontan	n SRO	663,458	1,036.7	17,664	1	0	1 0.7	75 1	2	4	3	2	5	13.8	Medium	Minor impairments locally due to inorganics.	Actual GW Volume not fully captured due to gw exports out of the
																					basin resulting in limited irrigated acres and domestic development.
																					GW volume reflects the additional pumping that is exported
139	6-88	OWL LAKE VALLEY		South Lahontan	SRO	22,402	35.0	C	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
140	6-28	PAHRUMP VALLEY		South Lahontan	n SRO	93,747	146.5	99	0	0	0 0.7	75 0	2	5	0	2	0	0.0	Very Low	Water levels generally declining per B-118 and USGS NWIS. State of	
																				Nevada Department of Water Resources has documented overdraft and subsidence conditions in this basin	
																				(http://water.nv.gov/documents/presentations/pahru mp.pdf)	
141	7-39	PALO VERDE MESA		Colorado River	SRO	228,010	356.3	9,231	. 1	0	1 0.7	75 3	0	1	0.5	3	0	9.3	Low	Arsenic, selenium, fluoride, chloride, boron, sulfate, and TDS	
142	7-38	PALO VERDE VALLEY		Colorado River	SRO	74,004	115.6	7,459	1	4	2 0.7	75 5	1	1	1	1	-2	12.8	Low	concentrations are high (DWR 1975). Some elevated TDS in groundwater makes water unsuitable for	Irrigated acres is almost all surface water. Reduce ranking somewhat
143	9-24	PAMO VALLEY		South Coast	SRO	1,514	2.4	n	0	0	0 0	) 0	0	0	0	0	0	0.0	Very Low	domestic or irrigation purposes.(B-118)	due to low gw use
144		PANAMINT VALLEY		South Lahontan		260,754	407.4	7	0		1 0.7			5	0	4		0.0		Water from most wells located on the valley floor is ranked inferior	
L					<u> </u>								╝					1_	<u> </u>	for domestic use and marginal to inferior for irrigation purposes.	
145	6-51	PILOT KNOB VALLEY		South Lahontan	sRO	139,460	217.9	C	0	0	1 0.7	75 0	0	0	0	0	0	0.0	Very Low		
146	7-6	PINTO VALLEY		Colorado River	SRO	184,377	288.1	7	0	0	1 0.7	75 0	0	0	0	0	0	0.0	Very Low		
147	7-49	PIPES CANYON FAULT VALLEY		Colorado River	SRO	3,408	5.3	5	0	0	0 1.	5 0	0	5	0	0	0	0.0	Very Low		
						·			. 0										·		
148	7-45	PIUTE VALLEY		Colorado River		177,319	277.1	2			0 0.7			5	0	0	0	0.0	Very Low		
149	4-6	PLEASANT VALLEY		South Coast	SRO	21,654	33.8	69,392	3	3	4 1.	5 5	5	5	5	1	0	22.5	High	PC - Discharge of poor quality GW from dewatering wells and effluent discharge from the wastewater treatment facility into the	
																				Arroyo Simi have led to rising water levels in the basin along with	
150	7-52	PLEASANT VALLEY		Colorado River	SRO	9,733	15.2	C	0	0	0 0	) 0	0	0	0	0	0	0.0	Very Low	higher TDS and Chloride levels	
151		POTRERO VALLEY		South Coast	SRO	2,035	3.2	475			4 3				0	0	0		Very Low		
152	9-13	POWAY VALLEY		South Coast	SRO	2,485	3.9	16,450	5	2	0 3.7	75 1	2	1	0	0	0	0.0	Very Low		
153	3-44	POZO VALLEY		Central Coast	SRO	6,852	10.7	52	0	0	4 0	) 2	1	1	0	0	0	0.0	Very Low	J	

						Da	ta Com	ponen	t Rankin	g Value				Overall	Ranking							
		CASGEM	Groundwater Basin	n Prioritization	Results					_			Gr	oundwa	ter Relia	nce						
			Sorted by Basi	in Name						owth	Wells	98			6				Overall	Overall		
									_	9.0	<u>&gt;</u> ,		*		e e			Ľ	Basin	Basin	Impact Comments	Other Information Comments
Basin	Basin			Hydrologic	DWR	Basin Ar	rea	2010	atio	atio	Sup	wells	Use *	nt of	al Supp  Reliar		cts	natic	Ranking Score ***	Priority		
count	Number	Basin Name	Sub-Basin Name	Region	Region Office	Acres S	Sq. Mile	opulation	ndoc	Population	Sublic	rriga	aw u	Percent of	lotal GW R	lotal	mpa	Othe				
154	7-40	QUIEN SABE POINT VALLEY		Colorado River	SRO	25,489	39.8	112	0	0	0	) 1	0			<del></del>	0	0	0.0	Very Low		
155	6-62	RACE TRACK VALLEY		South Lahontan	SRO	14,184	22.2	C	0	0	0	0	0	0	-	0	0	0	0.0	Very Low		
156	3-46	RAFAEL VALLEY		Central Coast	SRO	2,996	4.7	0	0	0	0	) 0	0	0		0	0	0	0.0	Very Low		
157	9-25	RANCHITA TOWN AREA		South Coast	SRO	3,146	4.9	168	1	0	0	3 1	0	0	(	0	0	0	0.0	Very Low		
158 159		RAYMOND RED PASS VALLEY		South Coast South Lahontan	SRO SRO	26,310 97,088	41.1 151.7	223,100	5 0	0	5 0. 0	75 0 0 0		5		,	3	0	20.8 0.0	Medium Very Low	Water quality impacts and a superfund.	
						· L														,		
160	6-86	RHODES HILL AREA		South Lahontan	SRO	15,697	24.5	C	0	0		0	0	0		0	0	0	0.0	Very Low		
161	7-4	RICE VALLEY		Colorado River	SRO	190,622	297.8	23	0	0	0 0.	75 0	0	5	(	0	0	0	0.0	Very Low		
162	6-23	RIGGS VALLEY		South Lahontan	SRO	88,274	137.9	C	0	0	0	0	0	0	(	0	0	0	0.0	Very Low		
163	3-43	RINCONADA VALLEY		Central Coast	SRO	2,579	4.0	11	0	0		) 4		1			0	0	0.0	Very Low		
164	6-56	ROSE VALLEY		South Lahontan	SRO	42,709	66.7	10	0	0	1 0.	75 0	1	5		0	0	0	0.0	Very Low		
165	4-20	RUSSELL VALLEY		South Coast	SRO	3,087	4.8	18,860	4	0	0 1	.5 0	2	1	(	0	3	0	0.0	Very Low	TDS and sulfate exceed MCL for some wells in the basin per Bulletin	
166	6-17	SALINE VALLEY		South Lahontan	SRO	146,850	229.5	C	0	0	0	0	0	0	(	0	5	0	0.0	Very Low	GW Quality Impairments: High TDS and Fluorides, groundwater is inferior for domestic use. (8-118)	
167	6-53	SALT WELLS VALLEY		South Lahontan	SRO	29,629	46.3	C	0	0	0 0.	75 0	0	0	-	0	5	0	0.0	Very Low	The groundwater is rated inferior for all beneficial uses because of high TDS	
																					content that ranges from about 4,000 mg/L to 39,000 mg/L. Other impairments are elevated concentrations of sodium, chloride, and boron	
460	2.44	CAN ANTONIO CREEKVALLEY		0 1 10 1	500	04.044	120.0	2 270			1 1					_		2	45.0		(DWR 1964).	
168	3-14	SAN ANTONIO CREEK VALLEY		Central Coast	SRO	81,941	128.0	2,279	1	0	1 1	.5 2	2	5	3	.5	4	2	15.0	Medium	Overdraft, water quality degradation	Santa Barbara Water Element, Table 1, p.10, indicates San Antonio basin overdraft by ~ 9,000 af/yr
169		SAN CARPOFORO VALLEY SAN DIEGO RIVER VALLEY		Central Coast	SRO SRO	1,054 9,944	1.6 15.5	45,800	0		0 3 3.		_				0	0	0.0 15.8	Very Low	High Nitrates, Iron and Manganese treatment is required, high TDS	
170	9-15	SAN DIEGO RIVER VALLET		South Coast	SKU	9,944	15.5	45,800	4	1	3 3.	/5   1	3	1		2	1	U	15.8	Medium	(>3,000 mg/l) in western portion of basin	
171		SAN DIEGUITO CREEK		South Coast	SRO	3,578	5.6	3,135			0		2	1			0	0	0.0	Very Low	W. L. TDG I. V. L (0.440)	
172 173		SAN ELIJO VALLEY SAN FELIPE VALLEY		South Coast Colorado River	SRO SRO	888 23,573	1.4 36.8	1,125 188	0		0 1			1			3	0	0.0	Very Low Very Low	High TDS limits beneficial uses (B-118) Significant groundwater declines documented in the late 1950s through	
174	4-12	SAN FERNANDO VALLEY		South Coast	SRO	145,354	227.1	1,745,338	5	3	3 2.	25 0	4	1	2	.5	3	1	19.8	Medium	early 1970s (B-118) Several public supply wells have shown contamination per Bulletin	Basin is adjudicated.
		SAN GABRIEL VALLEY			SRO						5 2.						2	1	21.3		118. Superfund sites are present within the basin and other areas with	, and the second
175		SAN GABRIEL VALLEY		South Coast		127,278		1,275,187	5				5	3	,	4	5	1	21.3	High	water quality impacts are known.	Adjudication (aka Six Basins)
176	8-5	SAN JACINTO		South Coast	SRO	188,623	294.7	474,317	3	4	2 2.	25 3	3	5	-   '	4	5	1	24.3	High	Basin is in overdraft (MWD). Groundwater quality issues documented in DWR B-118. Pumping has increased some	Adjudicated Basin
						46 =0=	25.5														contaminant distribution in the basin.	
177	9-1	SAN JUAN VALLEY		South Coast	SRO	16,797	26.2	61,131	3	1	3 2.	25 0	3	1		2	2	0	13.3	Low	TDS is generally high, springs with high fluorine, local pesticide contamination, and secondary inorganic contamination (B-118).	
178	0.7	SAN LUIS REY VALLEY		South Coast	SRO	29,865	46.7	12 012	2	1	5	2 2	3	1		2	3	0	19.0	Medium	Desalters used to treat water. TDS is a concern according to MWD. B-118 indicates problems with	
178	3-7	SAN LOIS NET VALLET		Journ Coast	3110	29,803	40.7	43,342	2	1		,   ,		1		2	3	U	19.0	ivieuluiii	nitrates, inorganics, radiologicals, and VOCs. Desalination generally	
179	0_22	SAN MARCOS AREA		South Coast	SRO	2,144	3.3	15.006	-	2	0 :	2 0	2	1	-	0	0	0	0.0	Very Low	required in all areas of the basin.	
180		SAN MATEO VALLEY		South Coast	SRO	3,009	4.7			0	4 1	.5 3	0	_			3	0	0.0	Very Low	Locally high TDS and some elevated nitrates in wells (B-118)	
181		SAN ONOFRE VALLEY		South Coast	SRO	1,261	2.0	3,133			5 0.			_			0	0	0.0	Very Low	NO. 1 1/2 440) TOS: 1 1	The state of the s
182	9-10	SAN PASQUAL VALLEY		South Coast	SRO	4,563	7.1	968	1	0	2	3 4	5	5	!	5	3	1	19.0	Medium	Nitrate problems are widespread (B-118). TDS is also known to be high in places. During dry years, the basin has experienced water level declines up to 20 feet in one year per GWMP.	LWU data based on DAU does not accurately depict Irrigated Acreage. 2006 Farmland Mapping Data indicate irrigated acreage is 2,691 and quick GIS estimate by SRO indicates irrigated acreage is at
183		SAN SIMEON VALLEY		Central Coast	SRO	560	0.9	g	1		5						0	0	0.0	Very Low		least 2 100 acres
184	3-17	SANTA BARBARA		Central Coast	SRO	6,173	9.6	63,966	5	0	4 3.	75 1	2	1		0	2	0	0.0	Very Low	WQ Impacts: Saline intrusion, locally high EC, hardness, hydrogen sulfides, and other constituents.(B-118)	
185	4-4.05	SANTA CLARA RIVER VALLEY	FILLMORE	South Coast	SRO	20,842	32.6	16,417	2	2	4 0.	75 5	0	0	!	5	2	0	20.8	Medium	Many groundwater quality impairments in the basin; Nitrates problematic during dry periods; High TDS, etc. (B-118). REH -	
10-	4	CANTA CLARA SUITE	A A OUN'S		20.5		22 -					25	1								PubComm indicted WO is localized and being managed	
186	4-4.03	SANTA CLARA RIVER VALLEY	MOUND	South Coast	SRO	14,846	23.2	77,886	4	2	1 2.	25 3	3	5	,	4	1	0	17.3		Some primary and secondary inorganic contaminants above the MCL (B-118).	
187	4-4.02	SANTA CLARA RIVER VALLEY	OXNARD	South Coast	SRO	58,200	90.9	235,973	4	3	4 0.	75 5	5	5	!	5	5	0	26.8	High	Saline intrusion, nitrates, pesticides, and PCBs have impacted some water wells per (B-118).	
188	4-4.06	SANTA CLARA RIVER VALLEY	PIRU	South Coast	SRO	8,915	13.9	2,666	1	4	3 0.	75 5	5	5	!	5	3	0	21.8	High	GW Quality impacts: nitrates, storm runoff, leaking tanks, etc. (B- 118). High Selenium and other inorganics, average TDS was 1450	
189	4-4-07	SANTA CLARA RIVER VALLEY	SANTA CLARA RIVER	South Coast	SRO	66,417	103.8	221,204	2		4 2.	25 1	4	1	1	5	5	0	22.8	High	mg/l (Ventura co 2011 annual gw renort) GW Quality Impacts: Nitrates, TCE, TDS, perchlorates, etc. (B-118)	
109	4-4.07	SAIVIA CLANA NIVER VALLEY	VALLEY EAST	Journ COdSt	JNU	00,417	103.8	221,204	э	3	4 Z.	1 دے	4	1			J	U	22.0	LIRII	GW Quanty impacts. Mitrates, TCE, TD3, pertinorates, etc. (B-118)	

CA DWR
Run Version 05262014

						Da	ata Co	mpon	ent Ra	nking V	alue			Overall	Ranking	1						
		CASGEM (	Groundwater Basi	in Prioritization	Results						_		Ť.	Groun	dwater	Reliance					1	
			Sorted by Bas							ō	oly Wells	*	creage		*	e e		_	Overall Basin	Overall Basin	Impact Comments	Other Information Comments
Basin	Basin			Hydrologic	DWR	Basin A	Area	2010	lation	opulation	Supply	Wells	ed A	Use **	nt of Suppl	Reliano al	ts	natio	Ranking Score ***	Duianitus		
	Number	Basin Name	Sub-Basin Name	Region	Region Office	Acres	Sq. Mile	Population	Popul	Popul	Public	Total	Irrigat	GW U	Percent of Total Supply	GW R Total	Ітрас	Other				
190	4-4.04	SANTA CLARA RIVER VALLEY	SANTA PAULA	South Coast	SRO	22,899	35.8	46,816	3	1	3 1	1.5	4	5	5	5	3	0	20.5	Medium	Nitrates can fluctuate significantly in the basin, and above MCL. Other inorganics present above MCL. TDS is known to be high.	
191	9-4	SANTA MARGARITA VALLEY		South Coast	SRO	7,998	12.5	4,121	2	1	4 2	.25	1	4	5	4.5	2	1	17.8	Medium	Groundwater in SW part of basin is marginal to inferior for domestic and agricultural uses (DWR 1967). Mg, SO4, Cl, NO3, and TDS concentrations are locally high for domestic. Use; Cl, B, and TDS are	Basin is federally adjudicated.
192	3-12	SANTA MARIA		Central Coast	SRO	184,248	287.9	201,759	2	3	4 1	1.5	5	5	4	4.5	4	0	24.0	High	Incally high for aguse (DWR 1975)  Documented overdraft of basin. Water quality degradation due to farming practices.	
193	9-11	SANTA MARIA VALLEY		South Coast	SRO	12,379	19.3	16,695	2		0 3		2	0	1	0	0	0	0.0	Very Low	larning practices.	
194	6-68	SANTA ROSA FLAT		South Lahontan	SRO	16,861	26.3	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
		SANTA ROSA VALLEY		Central Coast	SRO	3,525	5.5	920	1			-		0	0	0	0	0	0.0	Very Low		
196	3-15	SANTA YNEZ RIVER VALLEY		Central Coast	SRO	204,642	319.8	75,460	1	1	3 2	.25	3	3	5	4	3	0	17.3	Medium	Overdraft has been documented by the county in the past. Also some groundwater quality impairments.	
197	6-52	SEARLES VALLEY		South Lahontan	SRO	198,115	309.6	1,651	0	0	0 0	.75	0	0	5	0	5	0	0.0	Very Low	Water locally beneficial in the north, but generally unsuitable for beneficial uses due to high concentrations of fluoride, boron, sodium, chloride, sulfate, and TDS. Water levels have declined due to number for evaporates	
198		SEVEN OAKS VALLEY		South Coast	SRO	4,103	6.4	7	0					0	0	0	0	0	0.0	Very Low		
199		SILVER LAKE VALLEY		South Lahontan	SRO	35,519	55.5		0				0	0	0	0	4	0	0.0	Very Low	Groundwater in this basin is rated marginal to inferior for both domestic and irrigation uses because of elevated concentrations of fluoride, boron, and TDS. (B-118)	
200		SIMI VALLEY SODA LAKE VALLEY		South Coast South Lahontan	SRO SRO	12,192 383,560	19.0 599.3	98,625 750	5		2 0 1 0		0	0	<u>3</u>	2.5	<u>1</u>	0	13.3 0.0	Low	VOCs, elevated TDS, and nitrates (B-118) Groundwater quality is rated marginal to inferior for both domestic	
201				South Lanontan	SKU	,		750	U	U	1 0	./5	U	U	5	U	5	U	0.0	Very Low	and irrigation purposes. This assessment is based on 66 analyses showing elevated concentrations of fluoride, boron, and TDS.  Gentracker shows many LUST sites	
202	6-82	SPRING CANYON VALLEY		South Lahontan	SRO	4,832	7.5	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
203	6-49	SUPERIOR VALLEY		South Lahontan	SRO	121,084	189.2	C	0	0	1 0	.75	0	0	0	0	0	0	0.0	Very Low		
204	9-17	SWEETWATER VALLEY		South Coast	SRO	5,949	9.3	35,277	4	1	4 3	.75	0	2	1	0	5	0	0.0	Very Low	TDS, chloride and sodium content of the groundwater generally exceed the recommended limits for drinking (B-118, & DWR 1986).	
205	6-45	TEHACHAPI VALLEY EAST		South Lahontan	SRO	24,055	37.6	480	1	0	2 2	.25	1	0	3	0	5	0	0.0	Very Low	Court adjudicated basin in overdraft. Groundwater quality issues.	
206	9-5	TEMECULA VALLEY		South Coast	SRO	88,338	138.0	219,431	3	5	3	3	2	1	1	1	5	1	23.0	High	Groundwater source is impaired in various parts of the basin due to elevated nitrates, fluoride, sulfates, TDS, and VOCs (B-118).	Basin is under Federal adjudication.
207	7-26	TERWILLIGER VALLEY		Colorado River	SRO	8,081	12.6	1,085	1	5	1	3	1	2	1	0	1	0	0.0	Very Low	Locally elevated nitrates (B-118).	
		THOUSAND OAKS AREA		South Coast	SRO	3,115	4.9	17,202	4		0 2		0	1	3	0	5	0	0.0	Very Low	High TDS, alkalinity, and hardness in the basin (B-118).	
209	9-19	TIA JUANA		South Coast	SRO	7,448	11.6	50,694	5	1	0 2	.25	2	0	1	0	5	0	0.0	Very Low	Chloride and sulfate exceed MCL in some wells(Izbicki 1985). MCL for aluminum, barium, lead, selenium, and silver concentrations are exceeded individually in some wells (Dudek 1994).	
		TIERRA REJADA TORO VALLEY		South Coast Central Coast	SRO SRO	4,611 722	7.2 1.1	3,673	2	3	0 0			1 0	1 0	0	1 0		0.0	Very Low Very Low	Locally high nitrates documented in the basin (B-118).	
		TWENTYNINE PALMS VALLEY		Colorado River	SRO	62,829	98.2	22,113			0 0			1	5	3	1	0	8.8	Low	Some wells in the basin exceed the recommended levels for drinking water in fluoride, TDS, and sulfate concentrations. Thermal waters also occur in this basin (DWR 1984).	
213	6-22	UPPER KINGSTON VALLEY		South Lahontan	SRO	178,533	279.0	37	0	0	1 0	.75	0	0	5	0	4	0	0.0	Very Low	Groundwater is marginal to inferior for domestic or irrigation purposes due	
214	6-42	UPPER MOJAVE RIVER VALLEY		South Lahontan	SRO	415,295	648.9	355,338	2	5	3 0	.75	1	2	4	3	5	2	21.8	High	to elevated fluoride and TDS (B-118).  Overdraft. Water quality impacts in basin including nitrates, inorganics, and fuel additives, etc. Superfund site within basin.	Basin is adjudicated (+1). Irrigated Acreage of zero from DAU isn't correct, add +1
215	4-1	UPPER OJAI VALLEY		South Coast	SRO	3,815	6.0	616	1	0	2 0	.75	3	1	1	0	5	0	0.0	Very Low	Groundwater has been documented to contain high levels of boron, sodium chloride, high TDS, sulfate, nitrates, iron, and chlorides (B-	
216	8-2.06	UPPER SANTA ANA VALLEY	BUNKER HILL	South Coast	SRO	80,972	126.5	363,394	4	1	5 2	.25	2	3	3	3	3	1	21.3	High	The Bunker Hill sub-basin is impacted with PCE and TCE from the Newmark Superfund site and with perchlorate from the Crafton- Redlands plume.	Adjudication (Western San Bernardino)
		UPPER SANTA ANA VALLEY	CAJON	South Coast	SRO	23,306	36.4		1	0				5	1	0.5	0		0.0	Very Low		
		UPPER SANTA ANA VALLEY	CHINO	South Coast	SRO	154,693	241.7	898,653			4 2			5	3	4	3	1	23.3	High	Locally high nitrates and TDS. Pub Com, to include subsidence, historic overdraft, ground fissuring, problems mitigated with OBMP, reduce from 4 to 3.	Basin is adjudicated. Pub Com, program of controlled overdraft of 400,000 AF from the Chino Basin though 2030 to control the outflo of noor-quality rising GW
		UPPER SANTA ANA VALLEY UPPER SANTA ANA VALLEY	CUCAMONGA RIALTO-COLTON	South Coast South Coast	SRO SRO	9,574 30,224	15.0 47.2	51,001 145,832	4		5 0 4 2		1	5	2	3.5	3	0	18.3 18.3	Medium Medium	High nitrates reported in 14 of 24 wells tested (B-118)  Extensive perchlorate contamination in basin.	

											[	Data Cor	mpone	ent Rank	ing Val	ue			Overall	Ranking		1
		CASGEM (	Groundwater Basir Sorted by Basi		Results					ţ	Wells		0	Groundw	vater Re	eliance						
			Soi ted by Basi	iii Naille						n Growth	Supply We	* <u>s</u>	Acreage	*	ply **	e c		u a	Overall Basin Ranking	Overall Basin	Impact Comments	Other Information Comments
Basin	Basin	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin	Area	2010	ılatio	opulation	blic Sup	l Wel	ated /	Use **	Su	Reliar I	acts	er mati	Score ***	Priority		
count	Number			Region	Office	Acres	Sq. Mile	Population	Popu	Рорг	Publ	Total		GW	Total	GW   Tota	Impa	Othe Infor				
221	8-2.03	UPPER SANTA ANA VALLEY	RIVERSIDE- ARLINGTON	South Coast	SRO	58,903	92.0	336,884	4	2	4	3	2	5	4	4.5	5	0	24.5	High	Water quality degradation issues known in several public supply wells.	
222	8-2.08	UPPER SANTA ANA VALLEY	SAN TIMOTEO	South Coast	SRO	73,541	114.9	54,169	2	5	3	1.5	1	1	4	2.5	3	1	19.0	Medium	Locally high nitrates and salinity (B-118). GAMA reported upper basin water quality issues.	Parts of the subbasin are adjudicated.
		UPPER SANTA ANA VALLEY	TEMESCAL	South Coast	SRO	23,654	37.0	141,436	5 4	2	3	3	1	5	4	4.5	2	0	19.5	Medium	Groundwater quality impaired by nitrates and inorganics in some wells (B-118).	
224		UPPER SANTA ANA VALLEY	YUCAIPA	South Coast	SRO	25,410	39.7	65,180	3	1	4	2.25	2	3	4	3.5	5	0	20.8	Medium	Overdraft. Documented impacts of nitrates and sulfates. (B-118)	
225	7-28	VALLECITO-CARRIZO VALLEY		Colorado River	SRO	122,943	192.1	77	7 0	0	1	0.75	0	0	5	0	3	0	0.0	Very Low	Groundwater quality is marginal for domestic use because of elevated levels of fluoride and mineral content.	
226	7-63	VANDEVENTER FLAT		Colorado River	SRO	6,787	10.6	50	0	0	0	0.75	0	0	5	0	0	0	0.0	Very Low		
227	4-3.02	VENTURA RIVER VALLEY	LOWER VENTURA RIVER	South Coast	SRO	5,312	8.3	15,920	3	1	0	2.25	2	1	2	0	3	0	0.0	Very Low	Oil, high sulfates, nitrates, and hydrogen sulfide are documented to be present in the basin.	
228		VENTURA RIVER VALLEY	UPPER VENTURA RIVER	South Coast	SRO	7,430		15,961	1 3	0	5		2	4	5	4.5	3	0	18.3	Medium	TDS is known to be high in some parts of the basin (B-118).	
229	7-42	VIDAL VALLEY		Colorado River	SRO	139,577	218.1	10	0	0	1	0.75	0	0	5	0	4	0	0.0	Very Low	Fluoride, chloride, sulfate, and TDS concentrations are high (DWR 1975). GW near town of Vidal has fluoride concentrations making water unusable	
																					domestically and sodium contents make water marginal for irrigation.	
230 231	3-37 7-3	VILLA VALLEY WARD VALLEY		Central Coast Colorado River	SRO SRO	1,358 564,569			1 1	0	0	-			5	0	0	0	0.0	Very Low Very Low		
232	9-8	WARNER VALLEY		South Coast	SRO	24,150			5 0	0	4	0.75	0	0	0	0	1	0	0.0	Very Low	Groundwater generally suitable except for elevated fluoride contents near	
233	7-12	WARREN VALLEY		Colorado River	SRO	23,952	37.4	22,860	2	5	4	0.75	0	2	3	2.5	0	1	15.3	Medium	hot springs	Basin is adjudicated.
234	7-22	WEST SALTON SEA		Colorado River	SRO	106,408	166.3	5,352	2 1	0	0	0.75	0	0	5	0	3	0	0.0	Very Low	Groundwater is marginal to poor for domestic and irrigation use	
235	6-73	WILD HORSE MESA AREA		South Lahontan	SRO	3,337	5.2	(	0 0	0	0	0	0	0	0	0	0	0	0.0	Very Low	because of elevated fluoride, boron, and TDS.	
236	6-75	WILDROSE CANYON		South Lahontan	SRO	5,182	8.1	1	1 0	0	2	0	0	0	5	0	0	0	0.0	Very Low		
237	6-19	WINGATE VALLEY		South Lahontan	SRO	71,755	112.1	(	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
238	7-56	YAQUI WELL AREA		Colorado River	SRO	15,098	23.6	2	1 0	0	1	0.75	0	1	5	0	0	0	0.0	Very Low		
239	7-36	YUMA VALLEY		Colorado River	SRO	125,741	. 196.5	3,146	5 1	0	1	0.75	3	0	0	0	0	0	0.0	Very Low		

NOTE: \* Data component values were reduced by 25% due to data confidence, prior to calculating total GW basin ranking value

\*\* Sub-fields that are used to determine the overal GW Reliance Total ((GW Use + GW %)/2)

\*\*\* Overall Basin Ranking Score = Population + Population Growth + PSW + (Total Wells x .75) + Irr Acreage + (GW Use + GW %)/2 + Impacts + Other